



### PIGNONI PER MOTOSEGHE

#### CHAINSAW SPROCKETS

Adattabili alle seguenti marche  
To fit the following chainsaw brands



Articolo



Articolo

<b>ALPINA</b>	<b>Passo</b> Pitch	<b>Denti</b> Teeth	<b>Rocchetto FISSO</b> SPUR SPROCKET	<b>CON ANELLI</b> RIM SPROCKET
A40, 41, 45, A40E, PROF41, PROF 45	325" 3/8"	7 7	<b>54.230.0681</b> .....	..... <b>54.230.0600</b>
35, 40, 330, 380, 432, 438, 482	3/8" LP	6	<b>54.230.0684</b>	.....
P400, P450, P500	325"	7	<b>54.230.0524</b>	<b>54.230.0605</b>
540, 600 070, A70, A90, CP90, CP120	3/8" 3/8"	7 8	<b>54.230.0527</b> <b>54.230.0682</b>	..... .....
P34	3/8" LP	6	<b>54.230.0440</b>	.....
CP55, CP56, CP65, CP66	3/8"	7	<b>54.230.0683</b>	.....
A70, P70 ULTIME VERSIONI - <i>newer models</i>	3/8"	7	<b>54.230.0526</b>	.....
700, 800	3/8"	7	<b>54.230.0525</b>	<b>54.230.0601</b>
<b>ECHO</b>	<b>Passo</b> Pitch	<b>Denti</b> Teeth	<b>Rocchetto FISSO</b> SPUR SPROCKET	<b>CON ANELLI</b> RIM SPROCKET
CS280, CS290, CS300, CS2900, CS2800, CS328	3/8" LP	6	<b>54.230.0502</b>	.....
CS301, CS302, CS315, CS330, CS351, CS360	1/4" 3/8" LP	8 6	<b>54.230.0506</b> <b>54.230.0500</b>	..... .....
CS 400, CS440, CS3900, CS4100, CS3600, CS3700, CS4200, CS4400, CS4500, CS4510	325" 3/8"	7 7	<b>54.230.0507</b> .....	..... <b>54.230.0754</b>
CS451, CS452, CS500, CS510, CS550, CS610, CS650, CS660	3/8"	7	<b>54.230.0503</b>	<b>54.230.0602</b>
CS3000, CS3400, CS3450, CS3500	3/8" LP	6	<b>54.230.0509</b>	.....
CS60, CS60S, CS605	3/8"	7	<b>54.230.0501</b>	.....
CS602, CS702, CS750	3/8" 404"	7 7	<b>54.230.0504</b> .....	<b>54.230.0603</b> <b>54.230.0604</b>
CS-280, CS-290, CS.300, CS360	1/4"	8	<b>54.230.0508</b>	.....
CS-3000, CS-3400, CS-3450	1/4"	8	<b>54.230.0510</b>	.....
<b>HOMELITE</b>	<b>Passo</b> Pitch	<b>Denti</b> Teeth	<b>Rocchetto FISSO</b> SPUR SPROCKET	<b>CON ANELLI</b> RIM SPROCKET
110 ELECTRIC	3/8 LP 1/4"	6 8	<b>54.230.0594</b> <b>54.230.0800</b>	..... .....
XL-MINI, SXL-MINI, AL-10 <i>fino a Settembre 1969 - up to Sept. 1969</i>	3/8"	7	<b>54.230.0693</b>	.....
150AO, EZ250AO, XL MINI, 101, VI 123, XL76, EZ, EX AUTO, SEZ. AO, SXL MINI AO, 330, 350, 360, 410	3/8"	7	<b>54.230.0696</b>	.....
330, 350, 350HG, 350 SL, 360, 410, 550, VI 123, VI 125	3/8"	7	<b>54.230.0694</b>	<b>54.230.0617</b>
240, 245	3/8" LP	6	<b>54.230.0695</b>	.....



### PIGNONI PER MOTOSEGHE

#### CHAINSAW SPROCKETS

Adattabili alle seguenti marche  
To fit the following chainsaw brands



Articolo



Articolo

<b>HOMELITE</b>	<b>Passo</b> Pitch	<b>Denti</b> Teeth	<b>Rocchetto FISSO</b> SPUR SPROCKET	<b>CON ANELLI</b> RIM SPROCKET
190, XL MINI, SXL MINI AO, XL101, XL, XL2, XEL, SUPER 2, VI SUPER 2, SUPER 200, Bandit LX30, Sabre 31, 33, 200	3/8" LP 1/4"	6 9	<b>54.230.0697</b> <b>54.230.0804</b>	..... .....
XL12, XL AUTO, SUPER XL, 450, 450W, 450HG, 450SL, 550, XL800, XL850, XL870, XL875, XL901, XL903, XL904, XL913, XL914, XL922, XL924, VI 944, VI955, SUPER XL925 (dopo il l n.ro / after series 1735838)	3/8" 404"	7 7	<b>54.230.0801</b> <b>54.230.0806</b>	<b>54.230.0616</b> .....
XP2000, XP1020 SUPER, 2000E, 2000 AUTO, 2100 AUTO, SUPER 2100 AUTO, 650, 750	3/8	8	<b>54.230.0691</b>	.....
20, 23, D3300, D3350B, D3800, D3850	3/8 LP	6	<b>54.230.0698</b>	.....
EZ, EZ6, 7-19, 7-19C, 700D, 707D, 770D, 775D, ZIP, SUPER ZIP, C5, C51, C71, C72, C9, C91, XP1000, XP1020, XP1100, 2150	3/8"	8	<b>54.230.0692</b>	.....
<b>HUSQVARNA</b>	<b>Passo</b> Pitch	<b>Denti</b> Teeth	<b>Rocchetto FISSO</b> SPUR SPROCKET	<b>CON ANELLI</b> RIM SPROCKET
HUSKY 34, 35, 37	3/8" LP 1/4"	6 8	<b>54.230.0594</b> <b>54.230.0800</b>	..... .....
HUSKY JUNIOR 121	3/8" LP	6	<b>54.230.0688</b>	.....
36, 41, 136, 141	325"	7	<b>54.230.0803</b>	<b>54.230.0609</b>
40, 45	325"	7	.....	<b>54.230.0610</b>
140 S, 240 SE, 340 SE, 44, 444 SE	325"	7	.....	<b>54.230.0613</b>
50, 51, 55, 154, 254, 262, 257	325" 3/8"	7 7	<b>54.230.0681</b> .....	..... <b>54.230.0600</b>
254 (dopo il numero / after series 345-0001) 257 (dopo il numero / after series 314-0001) 262 (dopo il numero / after series 345-0001)	3/8" 325"	7 7	..... .....	<b>54.230.0614</b> <b>54.230.0608</b>
42, 242, 246 (prima del n.ro / before series 344-1001)	325"	7	.....	<b>54.230.0625</b>
42, 242, 246 (dopo il l n.ro / after series 344-1001)	325"	7	.....	<b>54.230.0626</b>
162, 268, 272, RANCHER 61 (dopo il numero / after series 051 - 0572) 266 - 268 - 272 (dopo il numero / after series 051 - XXX)	3/8" 3/8"	7 8	<b>54.230.0512</b> <b>54.230.0687</b>	<b>54.230.0612</b> .....
165, 163, 65, 77, 180 S, 263, 260, 280 S, 380 S, 380 CD, 480 CD	3/8"	7	.....	<b>54.230.0611</b>
181, 185, 281, 288, 285, 298, 394, 2100, 2101	3/8 404"	8 7	<b>54.230.0809</b> <b>54.230.0810</b>	..... .....
365, 371, 372	3/8"	7	.....	<b>54.230.0770</b>
335 XPT	3/8" LP	6	<b>54.230.0582</b>	.....
65, 77, 160, 163, 180, 260, 263, 280, 380, 480	3/8"	7	<b>54.230.0511</b>	.....



### PIGNONI PER MOTOSEGHE

#### CHAINSAW SPROCKETS

Adattabili alle seguenti marche  
To fit the following chainsaw brands



Articolo



Articolo

<b>JONSERED</b>	<b>Passo</b> Pitch	<b>Denti</b> Teeth	<b>Rocchetto FISSO</b> SPUR SPROCKET	<b>CON ANELLI</b> RIM SPROCKET
2036, 2040, 2041	325"	7	<b>54.230.0803</b>	<b>54.230.0609</b>
36, 361AV, 365, 370	1/4" 3/8" LP	8 6	<b>54.230.0800</b> <b>54.230.0594</b>	..... .....
450, 455, 510, 520, 525, 535, 2051, 2054,	325" 325" 3/8"	7 8 7	<b>54.230.0545</b> <b>54.230.0811</b> .....	<b>54.230.0774</b> <b>54.230.0775</b> <b>54.230.0622</b>
490, 590	325" 325"	7 8	<b>54.230.0681</b> .....	..... <b>54.230.0763</b>
45, M50M M51, 52E, M451, M521, 49SP	3/8" 325"	7 8	<b>54.230.0564</b> <b>54.230.0813</b>	..... .....
2045, 2050, 2063	325"	7	.....	<b>54.230.0610</b>
625, 630, 670, 2065, 2071	3/8" 3/8"	7 8	<b>54.230.0512</b> <b>54.230.0687</b>	<b>54.230.0612</b> .....
2094, 2095	3/8" 3/8"	7 8	..... .....	<b>54.230.0777</b> <b>54.230.0778</b>
2077, 2083	3/8"	7	.....	<b>54.230.0630</b>
820, 830, 910, 920, 930	3/8" 3/8"	7 8	..... <b>54.230.0814</b>	<b>54.230.0621</b> .....
75, 751, 80, 801, 90, 910	3/8" 404"	8 7	<b>54.230.0522</b> <b>54.230.0802</b>	..... .....
60, 61, 62, 66, 70, 601, 621	3/8"	8	<b>54.230.0565</b>	.....
1020	3/8"	7	.....	<b>54.230.0641</b>
<b>McCULLOCH</b>	<b>Passo</b> Pitch	<b>Denti</b> Teeth	<b>Rocchetto FISSO</b> SPUR SPROCKET	<b>CON ANELLI</b> RIM SPROCKET
MINI-MAC 6, 25, 30, 35, MAC6, 110-140, 3214, 3216, 3516,3818, MAC 310-340, PM 360, PM 364, PM 370, PM 374, PM 390, PM 470, PM 480, PM 484, PM 490, PM 4040, MAC 730-740, EUROMAC S30, S33, S34, S35, S36, S38, S39, S40, S41, MAC 832, 833, 835, 836, 838, TITAN 35-40, CALIFORNIA 3500, 4000, 90, MAC 930-940	3/8" LP	6	<b>54.230.0670</b>	.....
<b>COME SOPRA MA SENZA FRENOCATENA</b> AS STATED ABOVE BUT WITHOUT CHAIN BRAKE	1/4"	8	<b>54.230.0671</b>	.....
MINI MAC, MINI MAC 6, MINI MAC 25	1/4"	8	<b>54.230.0815</b>	.....
Serie 1-10, CP55, CP70, PM 10-10, PM570, PM60, PM610, PM650, PM700, PM850, SP55, SP60, SP61, SP70, PM155, PM165, 355, 375, 515	3/8"	7	<b>54.230.0816</b>	.....



### PIGNONI PER MOTOSEGHE

#### CHAINSAW SPROCKETS

Adattabili alle seguenti marche  
To fit the following chainsaw brands



Articolo

Articolo

<b>McCULLOCH</b>	<b>Passo</b> Pitch	<b>Denti</b> Teeth	<b>Rocchetto FISSO</b> SPUR SPROCKET	<b>CON ANELLI</b> RIM SPROCKET
D44, SUPER 44, 44A, 1-70, 1-71, 1-72, 1-73, 1-74, 1-75, 1-76, 105, 125, 200, 250, 300, 380, 440, 450, 550, 740, 790, 795, 797, CP125, SP125	3/8"	8	<b>54.230.0817</b>	.....
TITAN 50, 57, 70, DOUBLE EAGLE 50	325"	8	.....	<b>54.230.0781</b>
<b>MAKITA</b>	<b>Passo</b> Pitch	<b>Denti</b> Teeth	<b>Rocchetto FISSO</b> SPUR SPROCKET	<b>CON ANELLI</b> RIM SPROCKET
DCS6000i, DCS6800i	3/8" 325"	7 8	<b>54.230.0539</b> <b>54.230.0540</b>	<b>54.230.0652</b> .....
<b>OLEO MAC</b>	<b>Passo</b> Pitch	<b>Denti</b> Teeth	<b>Rocchetto FISSO</b> SPUR SPROCKET	<b>CON ANELLI</b> RIM SPROCKET
264 DELUXE	3/8"	7	<b>54.230.0505</b>	.....
250, 250A, 250 AS, 251, SUPER 251, 350, 355	3/8" 325"	7 8	<b>54.230.0521</b> <b>54.230.0818</b>	<b>54.230.0631</b> .....
234, 240, 241, 244	325" 3/8" LP	8 6	<b>54.230.0685</b> <b>54.230.0686</b>	..... .....
260, 261, 271, 272, 280, 281, 284, 400, 460, 461, 480, 481, 484	3/8" 404"	8 7	<b>54.230.0522</b> <b>54.230.0802</b>	..... .....
935	3/8" LP	6	<b>54.230.0546</b>	.....
350	3/8"	7	<b>54.230.0451</b>	.....
938, 941, 942, 945, 946, 947, 950, 951	325"	7	<b>54.230.0450</b>	.....
<b>OPEM</b>	<b>Passo</b> Pitch	<b>Denti</b> Teeth	<b>Rocchetto FISSO</b> SPUR SPROCKET	<b>CON ANELLI</b> RIM SPROCKET
145, 150, 152, 157	3/8"		<b>54.230.0452</b>	.....
K1, K2, K2s, K2sH	325"		<b>54.230.0453</b>	.....
<b>PARTNER</b>	<b>Passo</b> Pitch	<b>Denti</b> Teeth	<b>Rocchetto FISSO</b> SPUR SPROCKET	<b>CON ANELLI</b> RIM SPROCKET
MINI P, MINI P2, MINI P3, MINI P4, MINI PA, MINI 22, 330, 350, 1612, 1613, 1614, 1616	3/8" LP	6	<b>54.230.0594</b>	.....
HOMEOWNER 400, 500, 5000, P48, P49 V, P5000	325" 325"	7 8	<b>54.230.0681</b> .....	..... <b>54.230.0763</b>
R-16, R-17, R-18, R-19, R-20, R-21, R-22, R-240, R-420, R-421T, F55, F65, P70, 417, 517, S50, S55, S65, 700	3/8" 3/8"	7 8	<b>54.230.0771</b> <b>54.230.0819</b>	<b>54.230.0641</b> .....
R-30, R-35, R-40, R-435, R-440, P18, P85, P1900	3/8"	7	.....	<b>54.230.0643</b>
350, 365, 405	325" 3/8" LP	7 6	<b>54.230.0803</b> <b>54.230.0821</b>	<b>54.230.0609</b> .....



### PIGNONI PER MOTOSEGHE

#### CHAINSAW SPROCKETS

Adattabili alle seguenti marche  
To fit the following chainsaw brands



Articolo



Articolo

<b>PIONEER</b>	<b>Passo</b> Pitch	<b>Denti</b> Teeth	<b>Rocchetto FISSO</b> SPUR SPROCKET	<b>CON ANELLI</b> RIM SPROCKET
HOLIDAY II, P20, P21, P25, P26, P28, 970, 1072, 1073, 1074, 2071, 2073,	325" 3/8"	8 7	<b>54.230.0591</b> <b>54.230.0590</b>	..... .....
P10, P12	3/8" LP 1/4	6 8	<b>54.230.0594</b> <b>54.230.0800</b>	..... .....
<b>POULAN</b>	<b>Passo</b> Pitch	<b>Denti</b> Teeth	<b>Rocchetto FISSO</b> SPUR SPROCKET	<b>CON ANELLI</b> RIM SPROCKET
20, MICRO 25, 180, 205, 225, 235, 1800, 2000, 2100, 2300, 2400	3/8" LP 1/4	6 8	<b>54.230.0690</b> <b>54.230.0822</b>	..... .....
285, 305, 2800, 3000, 3300	325"	7	<b>54.230.0823</b>	.....
1800, 2000, 2300 CVA	3/8 LP	6	<b>54.230.0824</b>	.....
25, 25A, 25CVA, 25DA	3/8 LP	6	<b>54.230.0688</b>	.....
325	325"	7	<b>54.230.0681</b>	.....
5500, 6000	3/8"	8	<b>54.230.0533</b>	.....
<b>SACHS DOLMAR</b>	<b>Passo</b> Pitch	<b>Denti</b> Teeth	<b>Rocchetto FISSO</b> SPUR SPROCKET	<b>CON ANELLI</b> RIM SPROCKET
33, 100, 102, 340, 341, 342, 344, 400, 401, 410, PS34, PS400, PS410, PS411	3/8" LP 3/8" LP	6 7	<b>54.230.0535</b> <b>54.230.0536</b>	..... .....
103, 105, 108	325" 3/8" LP	8 7	<b>54.230.0537</b> <b>54.230.0538</b>	..... .....
104	3/8" LP	6	<b>54.230.0688</b>	.....
43, 51, 52, 109, 110, 111, 115	325"	8	.....	<b>54.230.0783</b>
112, 113, 114, 116, 117, 119, 120	325" 3/8"	8 7	<b>54.230.0540</b> <b>54.230.0539</b>	..... <b>54.230.0652</b>
CA, 122, 122SL, 123, 133, PS9010, 143, CA113	3/8"	8	<b>54.230.0531</b>	.....
CC, SUPER CC, CX, 144, 152	3/8"	8	<b>54.230.0533</b>	.....
152S, 153, 163, 166	3/8" 404"	8 8	<b>54.230.0541</b> <b>54.230.0542</b>	..... .....
290E	3/8 LP	6	<b>54.230.0594</b>	.....
<b>SHINDAIWA</b>	<b>Passo</b> Pitch	<b>Denti</b> Teeth	<b>Rocchetto FISSO</b> SPUR SPROCKET	<b>CON ANELLI</b> RIM SPROCKET
405, 406, 407, 410, 415, 416, 450, 451, 480, 485, 500	325" 3/8"	7 7	<b>54.230.0570</b> <b>54.230.0827</b>	..... .....
300, 360	3/8" LP	6	<b>54.230.0571</b>	.....



### PIGNONI PER MOTOSEGHE

#### CHAINSAW SPROCKETS

Adattabili alle seguenti marche  
To fit the following chainsaw brands



Articolo



Articolo

SHINDAIWA	Passo Pitch	Denti Teeth	Rocchetto FISSO SPUR SPROCKET	CON ANELLI RIM SPROCKET
305, 345, 346, 350, 355	1/4" 3/8 LP	8 7	54.230.0572 54.230.0573	..... .....
400, 488	325"	7	54.230.0828	54.230.0645
500, 575, 580, 680, 685, 695	3/8"	7	54.230.0829	54.230.0646
SOLO	Passo Pitch	Denti Teeth	Rocchetto FISSO SPUR SPROCKET	CON ANELLI RIM SPROCKET
650, 660, 620, 655	3/8"	7	54.230.0830	.....
647, 654	3/8" 325"	7 8	54.230.0831 54.230.0832	..... .....
670, 680, 603, 690	3/8" 404"	7 7	54.230.0833 54.230.0834	..... .....
600, 605, 606, 631 (Ø campana - drum Ø = 60 mm)	3/8" LP	6	54.230.0835	.....
605, 606, 632, 634, 638, 641 (Ø campana - drum Ø = 58 mm)	3/8" LP 325"	6 7	54.230.0836 54.230.0837	..... .....
662, 667	3/8"	7	54.230.0838	.....
639, 644, 645, 651	325"	7	54.230.0839	.....
STIHL	Passo Pitch	Denti Teeth	Rocchetto FISSO SPUR SPROCKET	CON ANELLI RIM SPROCKET
009, 010, 011, 012	3/8" LP 1/4"	6 8	54.230.0840 54.230.0841	..... .....
017, 018, 019T, 021, 023, 025, MS170, MS180, MS190T, MS191T	3/8" LP 325"	6 8	54.230.0842 .....	..... 54.230.0658
015, 015L	3/8" LP 1/4"	6 8	54.230.0843 54.230.0844	..... .....
020 AV, 020 AVE, 020 AV Super	3/8" LP 1/4"	6 8	54.230.0845 54.230.0846	..... .....
024, 026 prima del nr. (before nr.) X25809074	325"	7	54.230.0562	.....
024, 026, MS240, MS260, MS270 con pompa olio regolabile (adjustable oiler)	325" 325"	7 8	54.230.0867 54.230.0848	..... .....
028	325"	7	54.230.0554	.....
041 AV, 041AVE prima del nr. (before nr.) 5664891	3/8"	7	54.230.0521	54.230.0631
030AV, 031AV, 031AVE, 032, 041, 041 AV, 041AVE dopo il nr. (after nr.) 5664891	3/8" 404"	7 7	54.230.0557 54.230.0849	54.230.0665 .....
029, 034, 036, 039, MS290, MS360	3/8"	7	54.230.0561	.....
038	3/8"	7	54.230.0850	.....



### PIGNONI PER MOTOSEGHE

#### CHAINSAW SPROCKETS

Adattabili alle seguenti marche  
To fit the following chainsaw brands



Articolo

Articolo

<b>STIHL</b>	<b>Passo Pitch</b>	<b>Denti Teeth</b>	<b>Rocchetto FISSO SPUR SPROCKET</b>	<b>CON ANELLI RIM SPROCKET</b>
044, 046, MS440, MS460	3/8"	7	<b>54.230.0851</b>	.....
045, 056,	3/8" 3/8" 404"	7 8 7	<b>54.230.0580</b> ..... .....	..... <b>54.230.0792</b> <b>54.230.0793</b>
042AV, 048	3/8"	7	<b>54.230.0555</b>	.....
064, 066	3/8"	7	.....	<b>54.230.0660</b>
050, 051, 075, 076	3/8"	8	<b>54.230.0551</b>	.....
084, 088	404"	7	<b>54.230.0560</b>	.....
08, S10	3/8" 3/8" 404"	7 8 7	<b>54.230.0853</b> <b>54.230.0854</b> <b>54.230.0552</b>	..... ..... <b>54.230.0663</b>
090	404"	7	<b>54.230.0553</b>	.....
<b>TANAKA</b>	<b>Passo Pitch</b>	<b>Denti Teeth</b>	<b>Rocchetto FISSO SPUR SPROCKET</b>	<b>CON ANELLI RIM SPROCKET</b>
351, 356, 370	3/8" LP	6	<b>54.230.0583</b>	.....
<b>TOPSO</b>	<b>Passo Pitch</b>	<b>Denti Teeth</b>	<b>Rocchetto FISSO SPUR SPROCKET</b>	<b>CON ANELLI RIM SPROCKET</b>
500, 510, 600, 610, 700, 710	3/8" LP	7	<b>54.230.0557</b>	<b>54.230.0665</b>
<b>ZENOAH - KOMATSU</b>	<b>Passo Pitch</b>	<b>Denti Teeth</b>	<b>Rocchetto FISSO SPUR SPROCKET</b>	<b>CON ANELLI E-Z RIM SPROCKET</b>
G2500,	3/8" LP	6	<b>54.230.0855</b>	.....
G380AVS, G3800	3/8" LP	6	<b>54.230.0856</b>	.....
G455AVS • G500 AVS	325"	7	.....	<b>54.230.0857</b>
G561AVS, G621AVS, G621AVS	3/8"	7	<b>54.230.0503</b>	<b>54.230.0602</b>

### ANELLI AUTO-ALLINEANTI PER PIGNONI

REPLACEABLE RIMS FOR SPROCKETS



**EXTRA- PICCOLA**  
325" - 7 denti  
MINI  
325 - 7 teeth




**EXTRA- PICCOLA**  
3/8" - 7 denti  
MINI  
3/8 - 7 teeth



**PICCOLA**  
325" - 7 denti  
SMALL  
325 - 7 teeth




**PICCOLA**  
325" - 8 denti  
SMALL  
325 - 8 teeth



**PICCOLA**  
3/8" - 7 denti  
SMALL  
3/8 - 7 teeth




**PICCOLA**  
1/4" - 9 denti  
SMALL  
1/4 - 9 teeth




**STANDARD**  
325" - 7 denti  
STANDARD  
325 - 7 teeth



**STANDARD**  
3/8" - 7 denti  
STANDARD  
3/8 - 7 teeth



**STANDARD**  
3/8" - 8 denti  
STANDARD  
3/8 - 8 teeth



**STANDARD**  
404" - 7 denti  
STANDARD  
404 - 7 teeth



**STANDARD**  
404" - 8 denti  
STANDARD  
404 - 8 teeth

Articolo Item no	Descrizione Description	Scanalatura Spline	Passo Pitch	Denti Teeth
54.100.0603	Anello autoallineante Sprockets' rim	EXTRA PICCOLA MINI	325"	7
54.100.0610	Anello autoallineante Sprockets' rim	EXTRA PICCOLA MINI	3/8"	7
54.100.0601	Anello autoallineante Sprockets' rim	PICCOLA SMALL	325"	7
54.100.0602	Anello autoallineante Sprockets' rim	PICCOLA SMALL	325"	8
54.100.0611	Anello autoallineante Sprockets' rim	PICCOLA SMALL	1/4"	9
54.100.0606	Anello autoallineante Sprockets' rim	PICCOLA SMALL	3/8"	7
54.100.0608	Anello autoallineante Sprockets' rim	STANDARD STANDARD	325"	7
54.100.0604	Anello autoallineante Sprockets' rim	STANDARD STANDARD	3/8"	7
54.100.0605	Anello autoallineante Sprockets' rim	STANDARD STANDARD	3/8"	8
54.100.0607	Anello autoallineante Sprockets' rim	STANDARD STANDARD	404"	7
54.100.0609	Anello autoallineante Sprockets' rim	STANDARD STANDARD	404"	8



Conf. 10 pz.  
Packaged in lots of 10



Conf. 10 pz.  
Packaged in lots of 10

